



**STANDARD FOR THERMOPLASTIC
INSULATED AND JACKETED
TELECOMMUNICATIONS STATION WIRE
FOR INDOOR/OUTDOOR USE**

ANSI/ICEA S-100-685-2016

©2016 by

INSULATED CABLE ENGINEERS ASSOCIATION, Inc.

**STANDARD FOR
THERMOPLASTIC INSULATED AND JACKETED
TELECOMMUNICATIONS STATION WIRE
FOR INDOOR/OUTDOOR USE**

Publication S-100-685

Published By

INSULATED CABLE ENGINEERS ASSOCIATION, INC.

www.icea.net

© 2016 by ICEA

Approved March 3, 2015 by
Insulated Cable Engineers Association, Inc.

Approved March 28, 2016 by
American National Standards Institute

(page intentionally left blank)

Copyrighted by the ICEA

Contents may not be reproduced
in any form without permission of the

INSULATED CABLE ENGINEERS ASSOCIATION, INC.

Copies of this publication may be obtained from:

IHS
15 Inverness Way East
Englewood, CO 80112-5776 USA
Telephone: (800) 854-7179
www.ihs.com

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The Insulated Cable Engineers Association, Inc. (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While ICEA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgements contained in its standards and guideline publications.

ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. ICEA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, ICEA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgement or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

ICEA has no power, nor does it undertake to police or enforce compliance with the contents of this document. ICEA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to ICEA and is solely the responsibility of the certifier or maker of the statement.

FOREWORD

(This Foreword is not part of this Standard)

ICEA Standards are adopted in the public interest and are designed to eliminate misunderstanding between the manufacturer and user and to assist the user in selecting and obtaining proper products for his particular need. Existence of an ICEA Standard does not in any respect preclude the manufacture or use of products not conforming to the Standard.

The user of this Standard is cautioned to observe any applicable health or safety regulations and rules relative to the manufacture and use of cable made in conformity with this Standard. This Standard hereafter assumes that only properly trained personnel using suitable equipment will perform manufacture, testing, installation and maintenance of cables defined by this Standard.

Requests for interpretation of this ICEA Standard must be submitted in writing (hard copy, email, or fax) to the Insulated Cable Engineers Association to the ICEA Secretary. The mailing address of ICEA Headquarters and a Contact link are shown on the ICEA web site:

www.icea.net

An official written interpretation will be provided.

The members of the ICEA Communications Division, Copper Section, Working Group 685, who participated in this project, were:

WG Chairman: Tim West

G. L. Dorna

R. Gould

Ron Stanko

(page intentionally left blank)

TABLE OF CONTENTS

CONTENTS:	SECTION	PAGE
1.	GENERAL	
	1.1 Purpose	1
	1.2 Scope.....	1
	1.3 Options and Information.....	1
	1.4 Units and Tolerances.....	2
	1.5 References	2
	1.6 Quality Assurance.....	2
	1.7 Safety Considerations.....	3
	1.8 Installation Precautions.....	3
2.	CONDUCTORS	
	2.1 Requirements	4
	2.2 Factory Joints	4
3.	CONDUCTOR INSULATION	
	3.1 Insulation Material.....	5
	3.2 Insulation Dimensions, Colors, and Splices	5
	3.3 Insulation Physical Requirements.....	5
	3.3.1 Adhesion	5
	3.3.2 Elongation	5
	3.3.3 Compression	5
	3.3.4 Cold Bend	5
	3.3.5 Shrinkback	5
	3.3.6 Heat Exposure (Aging).....	5
4.	CORE ASSEMBLY	
	4.1 Core Construction	6
	4.2 Color Code.....	6
	4.3 Rip Cord.....	6
	4.4 Shielding System	6
	4.4.1 Shielding Materials.....	6
	4.4.2 Tape Shield Application	6
	4.4.3 Metal Tape Shield Splices.....	7
	4.4.4 Discontinuous Metallic Core Wraps	7

TABLE OF CONTENTS

CONTENTS:	SECTION	PAGE
5.	JACKET	
	5.1 Jacket Material.....	8
	5.1.1 Heavy Metal Free Jacket	8
	5.1.2 Low Halogen Jacket.....	8
	5.2 Jacket Thickness	8
	5.3 Completed Wire Jacket Requirements.....	8
	5.3.1 Tensile Strength.....	8
	5.3.2 Elongation	8
	5.3.3 Heat exposure (Aging)	8
	5.4 Jacket Color.....	9
6.	ELECTRICAL REQUIREMENTS	
	6.1 Transmission Classifications.....	10
7.	COMPLETED WIRE PHYSICAL TESTS	
	7.1 Cold Bend Test	11
	7.2 Cold Impact Test.....	11
	7.3 Anvil Test	11
	7.4 National Electrical Code.....	12
	7.5 Limited Smoke	12
	7.6 Halogen Content.....	13
8.	MARKING AND PACKAGING	
	8.1 Identification and Marking	14
	8.1.1 Method of Identification	14
	8.1.2 Length Marking	14
	8.2 Jacket Ink Marking Durability	15
	8.3 Packaging.....	15

TABLE OF CONTENTS

CONTENTS:	SECTION	PAGE
-----------	---------	------

TABLES

Table 1:	Specifications Referenced in this Standard.....	16
Table 5-1	Standard Jacket Colors	9

FIGURES

Figure 7-1:	Anvil Test Figure	12
Figure A-1	Wicking Test Configuration	18

APPENDICES

Appendix A:	Test Procedures for Wicking and Hygroscopicity	17
Appendix B:	Wire Rip Cord Test.....	19
Appendix C:	Durability of Marking.....	20
Appendix D:	Metallic Tape Splice Breaking Strength, Percent Retention	21

ANNEXES

Informative Annex A:	Product Guide for ANSI/ICEA S-100-685-2015.....	A-1
Informative Annex B:	ICEA Telecommunications Cable Standards	B-1

ACRONYMS, ABBREVIATIONS AND SYMBOLS

ANSI	American National Standards Institute
ASTM	American Society for Testing and Materials
AWG	American Wire Gauge
°C	Degrees of Temperature, Celsius scale, Centigrade
CM	UL Listing designation for General Purpose Communication Cable
CMG	UL Listing designation for General Purpose Communication Cable
CMR	UL Listing designation for Riser Communication Cable
CMX	UL Listing designation for Communication Cable, Limited Use, Dwellings and Raceways
EIA	Electronic Industries Alliance
°F	Degrees of Temperature, Fahrenheit scale
ft	foot or feet
ICEA	Insulated Cable Engineers Association
in	inch
ISO	International Organization for Standardization
lb	pounds
lbf	pounds of force
NFPA	National Fire Protection Association
NIST	National Institute of Standards and Technology
psi	pounds per square inch
UL	Underwriters Laboratories
°	degrees symbol, angle

THERMOPLASTIC INSULATED AND JACKETED TELECOMMUNICATIONS STATION WIRE FOR INDOOR/OUTDOOR USE

SECTION 1 GENERAL

- 1.1 **PURPOSE:** The purpose of this Standard is to establish generic technical requirements that may be referenced by individual telecommunications wire specifications covering thermoplastic insulated and jacketed station wire products for indoor/outdoor application.

Because this Standard does not cover all details of individual wire designs, it cannot be used as a single document for procurement of product. It is intended to be used in conjunction with an individual product specification that provides complete design details for the specific wire type and designates the applicable performance requirements. Such individual product specifications may be prepared either by the user or the manufacturer. The procurement specification is left to the discretion of the user of this Standard.

- 1.2 **SCOPE:** This Standard covers station wire intended primarily for application on the premises of communications users. The wire is intended for use in transition applications requiring a combination of fire and weather resistance, such as between the point of demarcation (the network interface device/protector) and the telephone termination device within single and multi-family dwellings. Materials, construction and performance requirements are included in the Standard, together with applicable test procedures.
- 1.3 **OPTIONS AND INFORMATION:** This Standard is arranged in Sections covering specific areas of wire requirements and may be referenced as complete Sections or individual paragraphs.

All designs covered by this Standard are suitable for indoor/outdoor use. Products covered by this Standard are intended only for operation with voltages and currents normally found in communication systems. Typically, these wires are installed both in exposed areas, e.g., surface mounted to walls or building baseboards, and in concealed areas, e.g., within walls or attics.

Station wire covered by this standard is intended for voice, data and low voltage power supply (POE and POE+) transmission and is categorized by electrical transmission characteristics based on existing system requirements and projected application needs. Four categories of wire performance are:

Category 3: Intended for voice and data transmission and whose transmission characteristics are specified for frequencies up to 16 MHz, as specified in ANSI/ICEA S-90-661-2012.

Category 5e: Intended for voice and data transmission and whose transmission characteristics are specified for frequencies up to 100 MHz, as specified in ANSI/ICEA S-90-661-2012.