

ICEA STANDARD FOR
CATEGORY 3
INDIVIDUALLY UNSHIELDED TWISTED PAIR INDOOR CABLE FOR USE IN
GENERAL PURPOSE NON-LAN
TELECOMMUNICATIONS WIRING SYSTEMS
TECHNICAL REQUIREMENTS

Published By

INSULATED CABLE ENGINEERS ASSOCIATION, INC.

Post Office Box 1568
Carrollton, Georgia 30112, U.S.A.

© 2011

Approved October 10, 2010 by
Insulated Cable Engineers Association, Inc.

Approved by March 1, 2012
American National Standards Institute

Purchase Now

Copyrighted by the ICEA
Contents may not be reproduced
in any form without permission of the
INSULATED CABLE ENGINEERS ASSOCIATION, INC.

Copies of this publication may be obtained from:

INFORMATION HANDLING SYSTEMS
15 Inverness Way East
Englewood, CO 80112-5776 USA
Telephone: (800) 854-7179
www.global.ihs.com

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The Insulated Cable Engineers Association, Inc. (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While ICEA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. ICEA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, ICEA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

ICEA has no power, nor does it undertake to police or enforce compliance with the contents of this document. ICEA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to ICEA and is solely the responsibility of the certifier or maker of the statement.

Purchase Now

(page intentionally left blank)

FOREWORD

ICEA Standards are published in the public interest and are intended to promote product uniformity and quality throughout the industry. Existence of an ICEA publication does not in any respect preclude the manufacture or use of products not conforming to the Standard.

The user of this Standard is cautioned to observe any applicable health or safety regulations and rules relative to the manufacture and use of cable made in conformity with this Standard. This Standard hereafter assumes that manufacture, testing, installation, and maintenance of cables defined by this Standard will be performed only by properly trained personnel using suitable equipment and employing appropriate safety precautions.

Questions of interpretation of ICEA Standards can only be accepted in writing and the reply shall be provided in writing. Suggestions for improvements in this Standard are welcome. Questions and suggestions shall be sent to:

Secretary
Insulated Cable Engineers Association
P.O. Box 1568
Carrollton, GA 30112
United States of America

This Standard was developed by the ICEA Communications Wire and Cable Division, Working Group (WG) 699. It was approved by ICEA on October 10, 2010.

The members of the ICEA Communications Division, Working Group 699, who participated in this project, were:

D.K. Baker
T. Zou

G. Dorna
T. McLaughlin

J. Kincaid
P. Fraley

L. Hazy
M. Berry

Purchase Now

CONTENTS:	SECTION	PAGE
	ACRONYMS, ABBREVIATIONS AND SYMBOLS.....	xi
1.	GENERAL	
1.1	Purpose.....	1
1.2	Scope.....	1
1.3	Options and Information.....	1
1.4	Units and Tolerances.....	2
1.5	References.....	2
1.6	Quality Assurance.....	2
1.7	Safety Considerations.....	3
2.	CONDUCTORS	
2.1	Bare Copper Conductors.....	3
2.2	Tin Coated Conductors.....	3
2.3	Conductor Size.....	3
2.4	Conductor Elongation.....	3
2.5	Factory Joints.....	3
3.	CONDUCTOR INSULATION	
3.1	Insulation Material.....	4
	3.1.1 Heavy Metal Free Insulation	
	3.1.2 Low Halogen Insulation	
3.2	Insulation Type.....	4
3.3	Insulation Dimensions, Colors, and Splices.....	4
	3.3.1 Insulation Colors.....	4
	3.3.2 Color Systems.....	5
	3.3.3 Insulated Splices.....	5
3.4	Insulation Physical Requirements.....	5
	3.4.1 Adhesion.....	5
	3.4.2 Elongation.....	5
	3.4.3 Compression.....	6
	3.4.4 Cold Bend.....	6
	3.4.5 Shrinkback.....	6
	3.4.6 Heat Exposure (Aging).....	6
	3.4.7 Aged Flexibility.....	6
	3.4.8 Heavy Metal Content.....	6
	3.4.9 Halogen Content.....	6
3.5	Twist Lengths And Color Coding.....	7
	3.5.1 Pairs.....	7
	3.5.2 Twisted Pair Colors.....	7

Purchase Now

CONTENTS:	SECTION	PAGE
4.	CORE ASSEMBLY	
4.1	Core Construction	7
4.2	Binders	8
4.3	Core Wrap	8
4.4	Rip Cord	8
5.	SHIELDS	
5.1	Shielding System	8
5.2	Shielding Material	9
5.2.1	Aluminum Tape	9
5.2.2	Copper Tape	9
5.2.3	Laminated Tape	9
5.2.4	Copper Braid	9
5.2.5	Laminated Tape/Braids	9
5.3	Metal Tape Shield Application	9
5.4	Metal Tape Shield Splices	9
6.	JACKET	
6.1	Jacket Material	9
6.1.1	Heavy Metal Free Jacket	10
6.1.2	Low Halogen Jacket	10
6.2	Jacket Thickness	10
6.3	Completed Cable Jacket Requirements	10
6.3.1	Tensile Strength	10
6.3.2	Elongation	10
6.3.3	Heat Exposure (Aging)	10
6.4	Jacket Color	11
7.	TRANSMISSION AND ELECTRICAL REQUIREMENTS	
7.1	Transmission Classification	11
7.2	Measurement Precaution	11
7.3	DC Resistance	11
7.4	DC Resistance Unbalance	11
7.5	Pair-To-Ground Capacitance Unbalance	11
7.6	Attenuation	12
7.7	Near End Crosstalk	13
7.7.1	NEXT	13
7.7.2	Power Sum NEXT	13
7.7.3	Subgroups	14
7.8	Characteristic Impedance	14
7.9	Structural Return Loss (SRL)	14

Purchase Now

CONTENTS:	SECTION	PAGE
	7.10 Phase Delay	14
	7.11 Phase Delay Skew	14
	7.11.1 Differential Delay Skew.....	14
	7.11.2 Environmental Effect.....	14
	7.12 Insulation Resistance	15
	7.13 Conductor-To-Conductor DC Proof Test.....	15
	7.14 AC Leakage Test	15
	7.15 Continuity of Metallic Cable Elements.....	15
8.	COMPLETED CABLE PHYSICAL TESTS	
	8.1 Cable Cold Wrap Test.....	15
	8.2 Wire and Cable Bending Test	15
	8.3 Sheath Adherence	16
	8.4 Cable Pulling Tension	16
	8.5 Flammability	16
	8.6 Limited Smoke	16
	8.7 Halogen Content	17
	8.8 National Electrical Code.....	17
9.	MARKING AND PACKAGING	
	9.1 Identification and Marking	17
	9.1.1 Method of Identification	17
	9.1.2 Length Marking.....	18
	9.2 Jacket Marking Durability	18
	9.3 Packaging	18

TABLES

Table 1:	Specifications Referenced in this Standard	19
----------	--	----

FIGURES

Figure 1:	Sheath Adherence	21
Figure A-1:	Wicking Test Configuration	23

APPENDICES

Appendix A: Test Procedures for Wicking and Hygroscopicity	22
Appendix B: Cable Rip Cord Test	24
Appendix C: Durability of Marking	25
Appendix D Metallic Tape Splice Breaking Strength, Percent Retention	26

ANNEXES

Informative Annex A: Product Guide for ANSI/ICEA S-101-699-2001	A-1
Informative Annex B: ICEA Telecommunication Cable Standards	B-1

ACRONYMS, ABBREVIATIONS AND SYMBOLS

ANSI	American National Standards Institute
ASTM	American Society for Testing and Materials
ASQC	American Society for Quality Control
AWG	American Wire Gauge
°C	Degrees of Temperature, Celsius scale, Centigrade
CM	UL Listing designation for General Purpose Communication Cable
CMG	UL Listing designation for General Purpose Communication Cable
CMR	UL Listing designation for Riser Communication Cable
CMP	UL Listing designation for Plenum Communication Cable
CMX	UL Listing designation for Communication Cable, Limited Use
dB	decibel
dc	direct current
°F	degrees of temperature, Fahrenheit scale
ft	foot or feet
ICEA	Insulated Cable Engineers Association
ISO	International Organization for Standards
lbf	pounds of force
LAN	Local Area Network
NEC	National Electrical Code
NEXT	Near-End Crosstalk
NFPA	National Fire Protection Association
NIST	National Institute of Standards and Technology
P-P NEXT	Pair-To-Pair Near-End Crosstalk
PS NEXT	Power Sum Near-End Crosstalk
psi	pounds per square inch
SI	International System of Units
SRL	structural return loss
UL	Underwriters Laboratories
°	degree symbol, temperature or angle
α	attenuation

Purchase Now

(page intentionally left blank)

CATEGORY 3 INDIVIDUALLY UNSHIELDED TWISTED PAIR INDOOR CABLE FOR USE IN GENERAL PURPOSE, NON-LAN, TELECOMMUNICATIONS WIRING SYSTEMS TECHNICAL REQUIREMENTS

SECTION 1 GENERAL

- 1.1 **PURPOSE:** The purpose of this Standard is to establish generic technical requirements that may be referenced by individual telecommunications cable specifications covering thermoplastic insulated and jacketed inside wiring products intended for normal indoor premises use in the wiring systems of communication users. The parameters covered provide material, construction, performance requirements, and test procedures.

Because this Standard does not cover all details of individual cable designs, it cannot be used as a single document for procurement of product. This Standard is intended to be used in conjunction with an individual product specification that provides complete design details for the specific cable types and designates the applicable performance requirements. Such individual product specifications may be prepared either by the user or the manufacturer. The procurement specification is left to the discretion of the user of this Standard.

- 1.2 **SCOPE:** This Standard covers mechanical, electrical and flammability requirements for thermoplastic insulated and jacketed, copper conductor, inside wiring cables intended primarily for general purpose communication applications in telephone company central offices or on consumer premises in non-LAN (Local Area Network) applications.

All designs covered by this Standard are for indoor use only. Products covered by this Standard are intended only for operation with voltages and currents normally found in communication systems. Typically, these cables are installed in exposed areas, e.g., surface mounted on cable racks and in concealed areas, e.g., within raceways.